



# Science 1st Term

# Preparatory One





# Content

Unit	Lesson Topic
Matter	1- Matter Characteristics
	2- Matter Construction
Σ	3- Atomic Structure of Matter
Energy	1- Energy Resources
	2- Energy Transformation
豆	3- Heat Energy
ity	1- Diversity and classification
Diversity	2- Diversity and adaptation
Div	3- Diversity and continuity



# Unit One

# **Matter Construction**





### Lesson one

## Matter and its characteristics

**Matter**: anything has mass and volume.

### • Characteristics to differentiate between matter:

### **1. Color**:

- ➤ Iron Silver Gold.
- > We can differentiate them by colors.





### 2. Taste:

- Flour sugar table salt
- We can differentiate them by tastes.





### **Smell**:

- ➤ Oil vinegar perfume
- We can differentiate them by smells.





### **Important Note:**



# Color, taste and smell can differentiate between some materials because they are

- Tasteless, colorless and odorless
- Some materials are dangerous

### • Physical properties and chemical properties of matter:


- 1. Density
- 2. Melting and boiling points
- 3. Hardness

- 4. Electrical conductivity
- 5. Thermal conductivity
- **6.** Chemical activity of metals



### 1. Density.

- Density:
  - The mass of unit volume
  - The mass of 1 cm<sup>3</sup>
- Measuring unit is **g/cm**<sup>3</sup>



**Density= Mass ÷ Volume** 

**Volume= Mass ÷ Density** 

Mass= Density × Volume

### **Problem Models:**

- 1. A piece of Iron has a volume of 10 cm<sup>3</sup> and a mass of 78 g. Find its density
  - Density = Mass ÷ Volume
  - Density =  $78 \div 10 = 7.8 \text{ g/cm}^3$
- 2. A piece of wood has a density of  $0.4~\rm g/cm^3$  and a volume of  $20~\rm cm^3$ . Find its mass
  - Mass=Density × Volume
  - Mass=  $0.4 \times 20 = 8 \text{ g}$

### What is meant by?

1. The wood has a density of "0.4 g/cm<sup>3</sup>"?

The mass of 1 cm3 of wood is 0.4 g


2. The mercury has a density of "13 g/cm<sup>3</sup>"?

The mass of 1 cm3 of mercury is 13 g



### **Science Activity**

### To compare between the density of some substances and water



### **Steps:**

Fill a bowl with water and put the following substances

- 1. A piece of wood
- 2. An iron nail
- 3. An ice cube

- **4.** A piece of cork
- **5.** A piece of wax
- **6.** Drops of oil



### **Observation:**

What happens to the following substances?

### Put $\sqrt{ }$ in front of the correct one

	Mass	Volume	Density	<b>You know</b> Water density = 1 g/cm <sup>3</sup>		
				Float	sink	
Wax	18 g ÷	10 cm <sup>3</sup>				
Nail	78 g ÷	10 cm <sup>3</sup>				
Ice cube	9 g ÷	10 cm <sup>3</sup>				
Cork	5 g ÷	10 cm <sup>3</sup>				
Wood	4 g ÷	10 cm <sup>3</sup>				
Oil	8 g ÷	10 cm <sup>3</sup>				

### **Conclusion:**

- Substances that have a density **less** than the density of water **float**
- Substances that have a density **more** than the density of water **sink**



### **Give Reason:**

- 1. Equal volumes of different materials have different masses.
- 1. Equal masses of different materials have different volumes.
  - 1. Because they have different densities

### 2. The cork & wood float on the water surface

2. Because the density of wood & cork is less than the density of water.

### 3. The glass & Iron sinks in the water

3. Because the density of glass and Iron is more than the density of water.

### Applications on the density:

### 1. Determination the purity of matter

The change in the density refers to the change in matter quality

- For example.

Determination of the quality of powdered milk, when compared with density the natural milk.

### 2. Water cannot put out petrol fires. (Give Reason)

Because the density of the oil is less than the density of the water so, it floats over the water and cannot put out fire.

### 3. Hydrogen or Helium balloons rise up in air. (Give Reason)

Because the density of helium and hydrogen is less than the density of the air so, it rises up in the air.





### 2. Melting point and boiling points.

### **Melting point:**

The temperature at which substance changes from solid to liquid

- Different solids have different melting points:
  - **1.** Some solid substances have **low melting points** such as *▶ Wax, Butter* and *Ice*.







- **2.** Some solid substances have **high melting points** such as
- Iron, gold and Aluminum







### **Boiling point:**

The substance changes from the liquid state to the gaseous state at the temperature.

### **Applications:**


- 1. In making of alloys.
  - **a.** *Copper gold* **Alloy**: used in making jewels.
  - **b.** *Nickel chrome* **Alloy**: used in making heating coils.
- 2. In the manufacture of cooking pans from aluminum.

Because, Aluminum has high melting point.



### **Science Activity**

### To study matter and the melting point (fusion point)



### **Steps:**

- **1.** Put a beaker containing (ice wax iron) in a water bath
- **2.** Put the water bath on a flame for a period of time
- 3. Use the thermometer to stop heating at 100  $^{\circ}$ c

### **Observation:**

What happens when you heat the following substances to 100°c?



### Put $\sqrt{ }$ in front of the correct one

	Ice			Wax			Iron		
	Melts	Doesn't melt	Melts	Doesn't melt		Melts	Doesn't melt		
At 5 °c									
At 40 °c									
At 100 °c									

### **Conclusion**

- Each substances have a different melting point.
- Some substances have a low melting point [butter, ice, wax]



### 3. Hardness.

- Some solid substances are soft at the room temperature
- (Rubber Plastic Clothes)
- Some solid substances need heat to be soften
- (Iron Copper Aluminum)
- Some solid substances do not melt by heating
- (Coal Sulphur Wood)

### **Life Applications on Hardness:**

- **1. Iron is better than Copper in concrete buildings. (Give Reason)** Because, iron is harder than copper.
- **2. Screwdrivers are made of steel iron. (Give Reason)**Because it is very hard.



### 4. Thermal conductivity

Heat Conductors	Heat Insulators
Substances that allow heat to flow	Substances that do not allow heat to flow
<ul><li>Iron</li><li>Copper</li><li>Aluminum</li></ul>	<ul><li>Wood</li><li>Plastic</li><li>Air</li></ul>
Heat Conductor	Heat Insulator



### 5. Electric conductivity

Electric Conductors	Electric Insulators		
Substances that allow electricity to flow	Substances that don't allow electricity to flow		
<ul><li>Metals as (Iron, Copper and Aluminum)</li></ul>	<ul><li>Non-Metals as (Wood, Sulphur and Plastic)</li></ul>		
Electric Conductor			
Electric Conductor	Electric Insulator		
<ul><li>Salt solution</li><li>Acidic solution (lemon)</li><li>Alkaline solutions (shampoo)</li><li>Water</li></ul>	<ul><li>Sugary solutions</li><li>Air</li><li>Benzene</li><li>Oil</li></ul>		

### **Life Applications on Electric & Thermal Conduction:**

- **1. Electric wires (cables) are made of copper or Aluminum.** Bec. They are electric conductors.
- **2. Electric wires (cables) are covered with Plastic** Bec. Plastic is electric insulator.
- **3. Cooking pans are made of Aluminum.** Bec. They are heat conductors.



**4.** Handles of cooking pans are made of plastic or wood. Bec. They are heat insulator.




### 6. Metals & chemical activity.

Very active metals	Less active metals	Inactive metals		
They lose their luster once they exposed to air	They rust after long time exposed to air	They don't react with air		
Sodium – potassium	Iron – aluminum – copper	Silver – gold		

### **Life Application on chemical Activity:**

**1. Sodium loses its luster if exposed to the atmospheric air. (Give Reason)** Bec. It is very active metals.



- **2. Steel bridges are coated with inactive material. (Give Reason)** To protect the iron from rust.
- **3. Iron rust while exposing to the air. (Give Reason)** Bec, it is a less active metal.



### **Lesson Review**

### **Q1:** Complete the following:

1. Matter is anything that has and
2. We distinguish between gold and silver by their different
3. We differentiate between table salt and sugar by their different
<b>4.</b> We differentiate between perfume and vinegar by their different
<b>5.</b> Density is the mass of
<b>6.</b> Golden jewels are made of Alloy, while the heating
coils are made up of Alloy.
7. The measuring unit of density is
8. Equal volumes of different substances have different
because they have different densities.
9. Melting point is at which substances change from solid
state to state.
10. There are materials don't soften by heating such as
<b>11.</b> Electric insulators are made up of materials such as
and
12. Jewels are made of alloy, while heating coils are
made of
<b>13.</b> There are good conductors of electricity and heat such as
and while there are bad conductors of electricity and
heat such as and
<b>14.</b> Active metals lose their when they are exposed to moist air.
<b>15.</b> Gases are conductors of electricity.
<b>16.</b> Acidic solution is conductor of electricity.



### **Q2: Choose the correct answer:**

1. The color p	property is a distinguishing fact	tor l	between
a.	table salt and flour	<b>b.</b> 1	iron and gold
C.	oxygen and nitrogen	d.	oxygen and carbon dioxide
2. The measu	ring unit of density is		
	gm/m <sup>3</sup>		gm/cm
C.	gm /cm <sup>3</sup>	d.	gm/cm <sup>2</sup>
3. Handles of	Cooking pans are made of		
a.	Iron	<b>b.</b> ]	plastic
C.	aluminum	<b>d.</b> :	stainless steel
4. Equal mass	ses of different substances have	e dif	fferent
a.	volumes only	b.	densities only
C.	lengths only	d.	volumes and densities
5. The handle	es of cooking pans are made of		
a.	Iron	<b>b.</b> ]	plastic
C.	wood	d.	wood and plastic
6. All the follo	owing solutions conduct electri	city	/ except
a.	Salt solution	<b>b.</b> .	Alkaline solution
C.	acidic solution	<b>d.</b> :	sugary solution
7. All the follo	owing substances are heat cond	luct	tors except
a.	Wood	<b>b.</b> 3	aluminum
C.	copper	<b>d.</b> 1	iron
	ty of electrical conductivity is	a di	stinguishing factor
	wood and plastic	<b>b.</b> 1	no correct answer
C.	iron and wood	<b>d.</b> 1	iron and copper
9. One of the	elements which don't react wit	h oz	xygen of air is
a.	Potassium	<b>b.</b> 3	Sodium
C.	Aluminum	d.	Gold



Q3: Give Reason	n for the following:
1. Wood floa	its over the water surface while iron sinks.
2. Equal mas	sses of different substances have different volumes.
2 Palla 4	
3. Balloons I	filled with Helium and Hydrogen rise up in the air.
4. Water can	not put out Petrol fire.
5. We use Al	uminum in making cooking pans.
6 Stool brid	ges are painted with inactive material.
o. steel bild	ges are painted with mactive material.
7. It is prefe	rable to use iron with concrete in building than copper
8. Sodium lo	ses its luster once it exposes to the atmospheric air.



### **Q4: Problems**:

1.	A piece of iron has a mass of 30 kg and a volume of 0.3 m <sup>3</sup> . Find its density
2.	An amount of milk has a mass of 300 g and a density of 0.6 g/cm <sup>3</sup> . Find it volume
	What is meant by?
1.	The density of water is 1 g/cm <sup>3</sup> .
2.	The density of mercury is 13 g/cm <sup>3</sup> .
3.	The melting point of iron is 1538 °C
4.	The boiling point of water is 100 °C



### Lesson Two:

# **Matter Construction**

### **Molecules:**

It is the smallest building unit of the matter that can exist freely

### ■ **Properties of the molecules of matter:**

- **1.** Molecules keep the properties of matter
- **2.** Molecules are in a state of continuous motion in all directions
- **3.** There are spaces between the molecules of matter
- **4.** There are forces between the molecules of matter

### **№ Intermolecular spaces:**

The spaces between the molecules of the matter.

### **№** Intermolecular force:

The force connects the molecules of the matter together.


Molecules	Solid state	Liquid state	Gaseous state	
Motion	Vibrate <b>Limited</b>	Slide past each other  Free	Fast, randomly  Completely Free	
Intermolecular spaces:	Very narrow	Far	Very far	
Intermolecular forces:	Strong	Weak	Very weak	
Volume:	Definite	Definite	Indefinite	
Shape:	Definite	Indefinite	Indefinite	



### **Science Activity**

1. The matter consists of tiny molecules which are in a continuous motion:

### **Permanganate**





### **Observation:**

- What happens when you add some permanganate [violet] to a beaker contains an amount of water?

Put  $\sqrt{\ }$  in front of the correct one

The violet colour stays in place	
The violet colour doesn't spreads all over the water	
The violet colour spreads all over the water	


### **Conclusion:**

- The matter consists of tiny parts called Molecules
- Molecules of matter are in a state of continuous motion.



### **Science Activity**

### 2. The presence of intermolecular spaces between the molecules of matter.



### **Observation:**

What happens when you add 300 ml of water to 200 ml of alcohol then observe the total volume?

# The total volume = 500 ml The total volume is less than 500 ml The total volume is more than 500 ml

Put  $\sqrt{ }$  in front of the correct one

### **Conclusion**

- There are intermolecular spaces between the molecules of matter.
  - **Explanation,** As the molecules of the alcohol fill the intermolecular spaces of the water



### Give Reason:

**1.** When you put a drop of ink in the water, it spreads. Because the ink molecules have a continuous motion in all direction

- 2. Solids have definite shape and volume.
- 3. It is hard to break iron rod.

  Because Iron has very strong intermolecular forces.
- 4. Liquids have indefinite shape and definite volumes.
- **5.** It is easy to make an amount water into portions. Because they have weak intermolecular forces.
- **6. Gases have indefinite volume and shape.**Because gases have very weak intermolecular forces


### **Changes of matter:**

### 1. Melting:

The change of matter from solid state to liquid state by heating.

• Matter changes from solid state to liquid state by heating. (G.R)

Because the energy of molecules increase so they move faster, and the spaces increase then changes into liquid



### **Ice Molecules**

- Vibrate In place
- Regular pattern

### Water Molecules

- Slide past each other
- Random shape




### **Changes of matter:**

### 2. Vaporization:

The change of matter from liquid state to gas state by heating.


• Matter changes from liquid state to gas state by heating. (G.R)

Because the energy of molecules increase so they speed increase, and the spaces increase then changes into gas



### **Important Note:**

- The molecules composed of tiny particles called Atoms.
- **Atom**: The basic building unit of molecule, which cannot exist freely.





### **Types of Molecules:**

### **Types of Molecules**

### **Molecules of an elements**

### **Element:**

•The simplest form of matter that don't break down into simpler substance.

It is a substance composed of similar kind of atoms.

# (Na) sodium (H2) Hydrogen (O3) Ozone

### Molecules of a compound

### **Compound:**

•The chemical combination of two or more elements with fixed ratio.

It is a substance composed of different kinds of atoms.

Example		
(NaCl) table Salt		
(H <sub>2</sub> O) Water		
(CO <sub>2</sub> ) Carbon dioxide		



### **Important Note:**

- Elements may be <u>solid</u>, <u>liquid</u> or <u>gas</u>
- Elements may be
  - ➤ **Monoatomic**: composed of one atom (Iron)
  - ➤ **Diatomic**: composed of two atoms (Oxygen)
  - ➤ **Triatomic**: composed of three atoms (Ozone)

### **Types of elements:**

S	Solids	Mono-atomic	- Carbon (C) - Silver (Ag) - Sodium (Na) - Iron (Fe) - Calcium (Ca)
Į,			
Types of Elements	Liquids	Mono-atomic	Only Mercury ( <b>Hg</b> )
		Di-atomic	Only Bromine ( <b>Br</b> <sub>2</sub> )
S			
Type	Gases	Mono-atomic	Inactive gases - Helium (He) - Neon (Ne)
		Di-atomic	Active gases - Oxygen (O <sub>2</sub> ) - Hydrogen (H <sub>2</sub> )



### **Important Note:**

- Compounds may be solid, liquid or gas
- Compound are made up of different elements and atoms

### How many elements and atoms?

 $Na_2SO_4$ 

Capital Letters = Elements	Lower Numbers = Atoms
— Count the capital letters	— Count the lower numbers
N O 3 Elements S	Na = 2 S = 1

### **Chemical formula:**

A set of chemical symbols represent the number and the kind of elements.

Name of the molecule	Chemical formula	Number of atoms	Number of elements
1. Water	H <sub>2</sub> O	3	2
2. Sodium chloride	NaCl	2	2
3. Ammonia	$NH_3$	4	2



### **Lesson Review**

### Q1: Complete the following:

1. The is the basic building unit of matter
2. The molecules have intermolecular and
3. The solids have shape and volume.
<b>4.</b> The gases have shape and volume.
<b>5.</b> The liquids have volume.
<b>6.</b> The is the simplest form of matter that cannot be
analyzed (broken down)
<b>7.</b> Melting process is the change of matter from to to
<b>8.</b> Evaporation process is the change from to to
<b>9.</b> When the any substance is heated the intermolecular spaces
and the intermolecular forces
<b>10.</b> The molecules composed of tiny particles whish are called
<b>11.</b> The molecules of element composed of atoms.
<b>12.</b> The molecules of a compound composed of atoms.
<b>13.</b> Some solid element composed of one atom such as and
other liquids composed of one atom such as while
other have two atoms such as
<b>14.</b> Gaseous elements composed of one atom such as,
while other gaseous elements have two atoms such as
<b>15.</b> The chemical formula is a set of shows the
numbers and the kind of elements.



<b>Q2</b> :	<b>Give Reason:</b>

2.	It is hard to break iron rod
3.	It is easy to make an amount water into portions
4.	Solids have definite shape and volume.
5.	Liquids take the shape of the container.
6.	Gases take the shape and the volume of the container.
7.	Solids changes to liquid by heating.
	many atoms and elements are in the following molecules?  I <sub>3</sub> (Ammonia gas)  • atoms, element
2. H <sub>2</sub>	SO <sub>4</sub> (Sulphuric Acid)  • atoms, element



Q4: Wha	at happens when?		
1.	You put a drop of ink in the water.		
2.	You heat a piece of iron strongly.		
3.	You add 300 ml of water to 200 ml of alcohol and observe the total volume.		

### **Q5:** Compare the elements molecule and the compound molecule:

	Element molecule	Compound molecule
Definition		
Atoms		
Example		



### Lesson Three:

# Atomic structure of matter

### Atom

The basic building unit of matter that cannot exist freely

### • Properties of an Atom:

- **1.** The atom cannot be found in a free state, but it combines with other atoms
- **2.** Atoms of an element are similar, and differs from another element.

### The chemical symbols of the important elements:

Element	Symbol
Hydrogen	1H
Helium	<sub>2</sub> He
Lithium	<sub>3</sub> Li
Beryllium	<sub>4</sub> Be
Boron	5B
Carbon	6 <b>C</b>
Nitrogen	7 <b>N</b>
Oxygen	80
Fluorine	9 <b>F</b>

Element	Symbol
Neon	<sub>10</sub> Ne
Sodium	11 <b>N</b> a
Magnesium	<sub>12</sub> Mg
Aluminum	<sub>13</sub> Al
Silicon	<sub>14</sub> Si
Phosphorus	<sub>15</sub> P
Sulphur	16 <b>S</b>
Chlorine	17Cl
Argon	<sub>18</sub> Ar

Element	Symbol
Potassium	19K
Calcium	20 <b>C</b> a
Iron	Fe
Zinc	Zn
Copper	Cu
Gold	Au
Silver	Ag
Iodine	I
Bromine	Br

### **Important Notes:**

- In Chemical symbols the first letter always written in capital letters.
- Chemical symbols are taken from the Latin not the English name


Sodium	Natrium	Na
Potassium	Kalium	K
Copper	Cuprum	Cu




### The structure of the atom:

It consists of:

- a. Nucleus
- **b.** Energy Levels





### a) **Nucleus**:

- Exist in the center of the atom.
- The mass of the atom is concentrated in it **(Give Reason)**Bec. It contains protons and neutrons
  - **1- Protons**: positively charged particles. (+ve)
  - **2- Neutrons**: electrically neutral particles (uncharged). (±ve)

### b) Energy levels.

- **Energy level:** The paths of the electrons around the nucleus
- ➤ They are **7** energy levels (**K-L-M-N-O-P-Q**)
- ➤ They differ in size, energy and their capacity.

### **Electrons:**

- Are very minute particles.
- Negatively charged particles. (-ve)
- Orbit the nucleus in energy levels
- Electrons orbit around the nucleus but do not fall in it. (**Give Reason**) Bec. They orbit with high speed and escape.
- ➤ The atom is electrically neutral (G.R)

  Bec. The number of electrons equals the number of protons



### **Comparing all the subatomic particles:**

	Protons	Neutrons	Electrons
Position	In the nucleus	In the nucleus	Around the nucleus
Charge	Positive	Neutral	Negative
Mass	Greater than electron	Greater than electron	Extremely small [Can be neglected]

### • The atom of each element is expressed by a chemical symbol:

- **a.** The mass number, written above the symbol from the left side.
- **b.** The atomic number, written below the symbol from the left side.

### 1. Atomic number:

- The number of protons in the nucleus.
- The number of electrons around the nucleus

### 2. Mass number:

 $\bullet$  It is the sum of the numbers of protons & neutrons in the nucleus.

Na Protons = 11

Na Electrons = 11

**Na** Neutrons = 23 -11 = 12



### **Science Activity**

### How to calculate the number of protons, electrons and neutrons:

17 Electrons = 17

Neutrons = 18

### How to calculate the mass number and atomic number:

- 1. If the nucleus of Oxygen atom contains 8 protons and neutrons. Find the atomic number and the mass number of Oxygen
  - The atomic number = no. of protons = -----
  - The mass number = no. of protons + no. of neutrons =


= ----- + ------ = ------



### **Energy levels:**

The orbits of electrons around the nucleus

- The energy level differs in energy.
- Energy of electron = Energy of level
- The energy increase away of the nucleus
- They are 7 main energy levels




### How to know the number of electrons that saturate the energy level:

**The Rule: 2n**<sup>2</sup> where, **(n)** is number of the energy level This rule works only with the first four energy levels. **(G.R)** 

- Because the atom will be unstable.
  - **1.** In the first energy level (K) =  $2(1)^2 = 2 \times 1 = 2$  electrons
  - 2. In the second energy level (L) =  $2(2)2 = 2 \times 4 = 8$  electrons
  - 3. In the third energy level (M) =  $2(3)2 = 2 \times 9 = 18$  electrons
  - **4.** In the fourth energy level  $(N) = 2(4)2 = 2 \times 16 = 32$  electrons

### **Important Note:**

When an element heats up its atoms gains energy and become more excited




- **Excited atom:** The atom that gains a quantum of energy.
- **Quantum:** Amount of energy lost or gained by the electron



### **Science Activity**

### The electronic configuration

Magnesium,  $_{12}$ Mg



Why the energy level K filled before L?

- Bec. The  $\boldsymbol{K}$  level has lower energy than  $\boldsymbol{L}$  level

Complete the following like the previous example by the help of figures:

Oxygen, 80



Chlorine, 17Cl



Neon, 10Ne

Sodium, 11Na

Calcium, 20Ca



### The electronic configuration & chemical activity

The number of electrons in the outermost energy level determines the activity of the atom

1. If the number of electrons in the outermost energy level is less than 8 electrons, the atom becomes unstable (active), So they do chemical reaction.

Example of, active elements

. ,				
Element	Symbol	Electronic co	onfiguration	
		K	L	M
Sodium	<sub>11</sub> Na	2	8	1
Magnesium	<sub>12</sub> Mg	2	8	2
Aluminum	13 AL	2	8	3
Element	Symbol	Electronic co	onfiguration	
Element	Symbol	Electronic co	onfiguration L	M
Element Phosphorus	Symbol <sub>15</sub> P			<b>M</b> 5
		К	L	

2. If the number of electrons in the outermost energy level equals 8 electrons, the atom becomes (inactive), So they do not do chemical reaction.

Example of, inactive (noble) elements

Element	Symbol	Electro	nic configur	ation
		K	L	M
Helium	<sub>2</sub> He	2	-	-
Neon	10 <b>Ne</b>	2	8	-
Argon	<sub>18</sub> Ar	2	8	8



### **Lesson Review**

### Q1: Complete the following:

1.	Atom can't be found in a state
2.	Atoms of element are, while Atoms of compounds are
3.	The atom contains of and and
4.	The mass of the atom concentrated in
5.	The are positively charged, while the are
	negatively charged
6.	The electrons revolve around the nucleus in paths called
7.	Atomic number is the number of in the nucleus or
	the number of around the nucleus.
8.	Mass number of the number of and
9.	The rule tells the numbers of the electrons fill the energy
	level
10	The <b>2</b> <sup>nd</sup> energy level satisfied by electrons.
11	Exited atom is the atom that gains
12	The quantum is the amount of lost or gained by an
	when it transfer from an energy level to another.
13	3. If the number of electrons in the outermost energy level is equal to 8, the
	atom becomes
14	If the number of the electrons in the outermost energy level is less than 8
	electrons, the atom becomes



### **Q2:** Write the chemical symbol or the chemical Name:

C 1	Write the chemical symbol		write the	Write the chemical Name	
Sod	ium		Hg		
Iron	n		Ag		
Maş	gnesium		Не		
Bro	mine		Cl		
Nitı	rogen		Zn		
Calo	cium		Н		
Iron	ı		C		
Оху	gen		S		
Pot	assium		Ar		
Cop	per		Ne		
l. If t		of Sodium atom conta	_	ons and neutrons, find	
atc	)m1c numbe1	r and the mass numb 	er of Soaiun 	n 	
			_	ons and the mass num	
		of Calcium atom cont atomic number and t	_		



Q4: W	hat is meant by?
1.	. The atomic number of Oxygen is 8
2.	. The mass number of Oxygen 16
	ing manager for an also of the fall angine
	ive reason for each of the following:
1.	The mass of the atom is concentrated in the nucleus.
2.	The atom is electrically neutral.
3.	The nucleus is positively charged.
4.	The rule 2n² cannot be applied for the fifth energy level.
5.	Some elements do chemical reaction.
6.	Some elements are mono-atomic (never do chemical reaction).



#### **Q6: Write the electronic Configuration for the following elements:**

1. (7N)

2. (19K)

3. (17Cl)

4. (<sub>13</sub>Al)

5. (<sub>18</sub>Ar)

6. (<sub>3</sub>Li)

7. (<sub>6</sub>C)



## Unit Two

## **Heat Energy**





#### Lesson one:

## **Energy Resources**

#### Energy.

The ability to do work.

- The fuel inside the engine burns and give the energy to move the car.
- The food inside our cells and produce the energy needed to do activities.

The fuel in the car is similar to the food in the body. (Give Reason)

Because both burn and produce, energy needed for work.

#### Work:

The force acts on a body and moves it for a distance in a certain direction.

#### **Examples:**

• A car moved for a distance 20 Meters pulling a piece of wood by a force of 75 Newton, Calculate the work done by this car.

- 
$$W = F \times D$$
  
= 75 x 20 = 1500 Joule.

• A car moved for a distance 30 Meters pulling a piece of wood by a force of 20 Newton, Calculate the work done by this car.



#### Forms of Energy:

#### 1. Mechanical Energy:

(P.E + K.E) the energy stored in stretched spring.

#### 2. Electric Energy:

The energy produced from an electric generator.

#### 3. Sound Energy:

The energy produced by music player.

#### 4. Light Energy:

The energy produced by from the light bulb or the candle.

#### 5. Chemical Energy:

The energy stored in the car battery or the food.

#### 6. Heat Energy:

The energy produced from the heater or the stove.

#### 7. Nuclear Energy:

The energy produced from the nucleus of the atom.

#### **Resources of the Energy:**

- 1. Permanent sources of energy (sun only)
- 2. Renewable sources of energy. (Wind, Waterfalls, Tide and ebb)
- 3. Non-renewable Sources of energy.
  - The fuel (oil, Coal, natural gas)
  - ➤ The food (chemical reactions)
  - ➤ Nuclear Reactions (The reactions in the nucleus of the atom)

#### • Some countries try to use the wind, energy to generate electricity (G.R)

Because they are cheap and clean



#### The Mechanical Energy:


#### **Mechanical energy:**

It is the summation of potential and kinetic energy.

• The work done = The Mechanical energy

= P.E + K.E

- **Potential energy** (when you raise a ball from the ground)
- **Kinetic energy** (when you leave the ball to fall down).



#### **Potential Energy**

It is the stored energy in the object due its position.

The factors affecting the potential energy:

1. The weight of the object. (P.E directly proportional to w)

2. The height of the object. (P.E directly proportional to h)

Potential Energy (P.E) = Height (h) x Weight (w).

Ioule Meter Newton

#### **Kinetic Energy:**

• It is the energy of the object due to its motion.

The factors affecting the kinetic energy:

1. The mass of the object. (K.E directly proportional to m)

**2. The velocity of the object. (K.E** directly proportional to **V)** 


Kinetic Energy (K.E) =  $\frac{1}{2}$  Mass (m) x Velocity<sup>2</sup> (V<sup>2</sup>)

Kg m/s



#### **Important Note**

- Each body has a constant value of mechanical energy
- Mechanical energy is directly to the potential and kinetic energy
- Potential energy is inversely proportional to the kinetic energy



- At the highest point, the object has only potential energy. [max. Height]
- **At the middle point,** the object has potential energy = kinetic energy
- At the ground, the object has only kinetic energy. [max. speed]

#### Give reason:

1. An object moves horizontally has a constant potential energy.

Because the height does not change

2. The potential energy of an object increases when the height increases.

Because the potential energy is directly proportional with the height

3. The kinetic energy of an object increases when the velocity increases.

Because the kinetic energy is directly proportional with the velocity



#### **Problem:**

1. A stone has a mass of 0.4	K.g was thrown up and reached a height of 5 $ {f m}_{i}$
then its velocity was 4 m/	sec. Calculate the following:

1. P.E

2. K.E

3. M.E (Work)

• **Weight** =  $m \times 10 = 4 N$ 

1. P.E = weight x height. =  $4 \times 5 = 20$  joule

**2. K.E = 1/2 \times \text{mass} \times \text{velocity}** =  $1/2 \times 0.4 \times 42 = 3.2 \text{ joule.}$ 

**3.** [M.E] W = P.E + K.E = 20 + 3.2 = 23.2 joule.

#### **Practice:**

2. A stone has a mass of 5 K.g was thrown up and reached a height of 6 m, then its velocity was 4 m/sec. Calculate the following:

1. P.E

2. K.E

3. M.E (Work)

3. An iron cylinder was lift by a pulley to the maximum height. Calculate the following:

1. P.E when the object at the top

2. K.E when the object at the ground



#### **Lesson Review**

#### Q1: Complete the following:

<b>1.</b> The is the force acts on a body to move it for a distance
2. The measuring unit if Work is known as
3. The renewable resources of energy such as while the
non-renewable resources of energy such as
<b>4.</b> The factors affecting on the Work done to an object are
and
<b>5.</b> The factors that affecting the potential energy are
and
<b>6.</b> The potential energy is the energy in an object at
rest.
<b>7.</b> The factors affecting the kinetic energy are and
8. The work-done for moving object equals
<b>9.</b> The potential energy is Proportional to height of
the object from the surface of the earth.
${f 10.}$ A kind of energy produced form the atomic reactions in the nucleus is known
as
<b>11.</b> Each body has a constant value of energy.
<b>12.</b> The kinetic energy is Proportional to the velocity
of the object.
<b>13.</b> The mechanical energy is the sum of and
<b>14.</b> The energy stored in the food molecules is energy
<b>15.</b> The energy used by plants in photosynthesis process energy



		each of the following:		
1.	The food in th	e body is similar to the	fuel in the car.	
2.	The renewabl	e resources of energy a	re more common ir	1 use.
3.	The potential	energy of an object mov	ves horizontally do	es not change.
4.	The potential	energy of an object inci	eases when the he	ight increases.
5.	The kinetic er	ergy of an object increa	nses when the veloc	ity increases.
		or each of the following		
1.	An object mov	es horizontally (regard	ling the P.E) 	
2.	An object mov	ves with increasing spec		_
Q4: I	Match.			
		Potential Energy	<b>1.</b> ½ my²	
		Kinetic Energy	2. F × d	
		Mechanical energy	3. m × g × h	
		Work	<b>4.</b> P.E + K.E	



#### **Q5: Problems**

1.	(10 m/s	e potential energy if the mass body (20 kg), sec <sup>2</sup> )				
2.	Find the	e kinetic energy if the mass of the body is (5 (10 m/sec²)	5 kg), l	height (5m	ı) an	
3.	energy	e mechanical energy if potential energy (20 (30 Joule)?				
	At the to	cylinder with a weight of 60 N, was lift up vop P.E	ward,	then find	)	
	2.	K.E			A	Тор
	3.	M.E	10 n	n /	Va	
b)	At the n	niddle			<del> </del>	
		P.E			2	Middle
	2.	K.E	-			
c)	At the g	round		3	<b>\</b>	
<u>- ,                                    </u>		P.E		9	Â	
	2.	K.E	_			Ground
			7			



#### **Lesson Two**


## **Energy Transformation**


• The energy changes from one type to another, without losing any of its value.

#### **Science Activity**

#### **Observation:**

- What happens when you flick the pendulum?





Put  $\sqrt{ }$  in front of the correct one

	Α	В
The potential energy reaches maximum at		
The kinetic energy reaches maximum at		

Do you think it is  $\sqrt{\text{ or } X}$ 

The 2 balls raise up to the same height

The mechanical energy of the 2 balls are the same

#### **Conclusion:**

- The **P.E** and **K.E** changes but the mechanical energy is the same

#### The conservation law of Mechanical Energy:


- The sum of potential and kinetic energy of an object is the same.



#### **Science Activity**

#### **Observation:**

- What happens when you turn on the following devices?







#### Put $\sqrt{ }$ in front of the correct one

	Heat	Light	Sound
The electric Lamp converts electric energy to			
The electric Heater converts electric energy to			
The electric speaker converts electric energy to			

#### **Conclusion:**

- The same kind of energy changes into different types of energy
- Energy never created nor destroyed

#### The conservation law of Energy:

**-** Energy neither created nor destroyed, but it converted from one type to another.



#### **Examples of Energy Transformation**

The process	Energy used	Energy produced
On winding a spring toy	Kinetic	Potential
On leaving the spring free	Potential	Kinetic
Rubbing your hands	Kinetic	Heat
Hammering an iron piece	Kinetic	Heat & Sound
Metallic bell (school bell)	Kinetic	Sound
Electric heater, fire.	Electric	Heat
Electric fan	Electric	Kinetic
Electric lamp or bulb	Electric	Light
Battery (dry cells)	Chemical	Electric
Torch	Chemical	Electric →light
Running	Chemical	Heat →kinetic
Photosynthesis	Light	Chemical

#### **Energy Transformation inside the car:**

Car Engine	Chemical — Mechanical
Car Dynamo	Kinetic — Electric
Car lamps	Electric Light
Car air conditioner	Electric ——— Heat
Car Radio	Electric Sound



#### **Technological Applications of Energy Transformation:**

Application	Energy changes
Sewing Machine	Electric energy into mechanical energy.
Solar Cells	Solar energy into electric energy.
A cellular Phone	Electromagnetic energy waves into sound energy.
Alarm Clock	Chemical energy into kinetic and sound energy.
Television	Electric energy into light and sound energy.

#### The negative effects of technology:

- **1.** Environmental Pollution.
- **2.** Harming human's life.
- **3.** Bad use of Human in Wars and destruction.

#### **Examples of the negative effect of the technological applications:**

Application	Negative Effect	Disease
Car Exhaust	Air pollution	Chest and eye diseases.
Military Explosions	Huge destruction	Diseases leads to death.
<b>Chemical Pesticides</b>	Water, air, and soil pollution	Cancer.
Nuclear Weapons	Huge destruction.	Diseases leads to death.
Mobile Webs	Electromagnetic pollution	Heart diseases.



#### **Lesson Review**

Q1: Complete the following:
1. The energy never but, it is only
converted from one type to another.
2. The car engine converts the energy from to to
3. The cell phone converts the energy from to to
1. The energy is converted from to to In the
sewing machine.
<b>5.</b> The energy is converted fromDuring
running
6. In the photosynthesis process the energy converted from to
7. The chemical pesticides cause disease.
3. car exhausts and air pollution cause disease
. the electromagnetic pollution cause disease
10. the chemical pesticides cause disease
Q2: Give reason for each of the following:
1. The energy never lost nor gained.
2. Cars have negative effect on the environment and the man.
3. The chemical pesticides have negative effect on man health.



#### **Q3: Complete the following:**

The process	Energy used	Energy produced
On winding a spring toy		
On leaving the spring free		
Rubbing your hands		
Hammering an iron piece		
Metallic bell (school bell)		
Electric heater, fire.		
Electric fan		
Electric lamp or bulb		
Battery (dry cells)		
Torch		
Running		
Photosynthesis		

Car Engine	<b>→</b>	<b>→</b>
Car Dynamo	<b>─</b>	
Car lamps	<b>─</b>	
Car air conditioner	<b>─</b>	
Car Radio	<b>─</b>	



#### Lesson Three:

## **Heat Energy**

#### **Heat Energy:**

Form of energy, which transfers from higher temperature to lower one

• Heat transfer stops when the temperature of them are equal.

We get the heat through many ways

- **1.** Sun.
- **2.** Fire.
- **3.** Friction.
  - The friction is a method to generate heat
  - Friction converts mechanical energy into heat energy.



#### **Science Activity**

#### **Observation:**

- What happens when you peddle your bicycle very fast and then try to touch the tires?



Put  $\sqrt{ }$  in front of the correct one

	Hot	Cold	Nothing
Your hands feel the tires			
	<b>Potential</b>	Kinetic	Heat
You started with			
You ended with			

#### **Conclusion:**

- The friction changes the kinetic energy into heat energy



#### The temperature:


The condition that states the direction of heat energy transfer

- The energy transfer happens when the object touches another body.
- The temperature is directly proportional to the particles' kinetic energy.

#### **Science Activity**

#### **Observation:**

- What happens when you mix hot water to cold water?
  - Use a thermometer to measure the temperature



#### Put $\sqrt{ }$ in front of the correct one


	High temperature		Low temperature	
The hot water has				
The cold water has				
	More than 70 °C	Less tha	ın 30 °C	Around 50 °C
The final temperature				

#### **Conclusion:**


- The friction changes the kinetic energy into heat energy

#### Facts:

- Heat transfers from an object of higher temperature to another of lower temperature.
- Heat transfer stops when the temperature of the two media becomes equal.
- **-** The temperature is measured by **thermometer**.







#### 1. Heat Transfer by Conduction:

- It is the transfer of heat energy through solid particles
- Ex: Transfer of heat through solids.


#### Application.

- Making cooking pans of copper or aluminum. (Give Reason) Because they are good conductors of heat.

#### **Science Activity**

#### **Observation:**


- What happens when you stir a hot tea with a metal spoon?



	Hotter	Colder
The spoon become		
	move	Stay still
The molecules of the spoon		

#### **Conclusion:**

- The heat transfer from a molecule to another but molecules do not move
- The heat transfer through solid molecules by conduction





#### 2. Heat transfer by Convection:

- It is the transfer of heat in gas and liquid molecules
- How it happens?
   Hot molecules have less density so they rise upwards, while colder molecules have more density so they fall down.
- Heat transfer by convection need material medium to transfer.

#### **Applications.**

- **1. The air condition always are at the upper part of the room. (Give Reason)**Because they release cold air with high density so it falls down, while the hot air with less density rises up to cool again
- 2. The electric heater always are at the lower part of the room. (Give Reason)

  Because they release hot air with low density so it rises up, while the cold air

  with less density falls down to cool again

#### **Science Activity**

#### **Observation:**

- How the vapor moves?





Put  $\sqrt{ }$  in front of the correct one

	Down ward	Up ward
The cold vapor moves		
The hot vapor moves		

#### **Conclusion:**

- Cold air is heavy and fall down, while hot air is light and rise up
- Ups and downs of air known as **convection current**



#### 3. Heat transfer by radiation:

- It is the transfer of heat through gas molecules and empty space (vacuum)
- Heat transfer by radiation does not need medium molecules.


#### Application.

- **1. Heat transfer from fire to man's hands by radiation not convection. (G.R)**Because the air is bad conductor of heat, so it carried by radiation not by convection.
- **2.** Heat of the sun does not reach the earth by radiation not convection. (G.R) Because of the space between the earth and the sun.

#### **Science Activity**

#### **Observation:**

- What is the most accepted way to transfer the heat to different points?



#### Put $\sqrt{ }$ in front of the correct one

	Conduction	Convection	Radiation
The heat transfers to A by			
The heat transfers to B by			
The heat transfers to C by			



#### **Solar Energy**

- The energy comes from the sun.
- The origin of most energy resources on the earth and its forms.
- The cleanest source of energy, as it does not pollute the environment.

#### The solar energy is essential for other forms of energy. (Give Reason)

- **1.** Solar energy generates the wind movement
- **2.** Producing electricity by using solar cells
- **3.** Solar energy is stored in plants as chemical energy by photosynthesis
- **4.** Solar energy is stored in petroleum (fuel) as chemical energy

#### Application of solar energy

1. Solar Cells	Converts Solar energy changes into electric energy.
2. Solar heater	Converts Solar energy changes into heat energy.
3. Fresh Water	desalination seawater ( to get fresh water)
4. Space	Operating Satellites and space ships

#### **Technological Applications depending on heat energy:**

	Energy in	The Resource	The effect
Electric heater	Electricity	Renewable	Non-polluted
Solar heater	The sun	Permanent	Non-polluted
Electric stove	Electricity	Renewable	Non-polluted
Gas oven	Natural gas	Non-renewable	Polluted



#### **Lesson Review**

Q1: Choose the	e correct answer:		
1. The energy	transfer from sun to ear	th by	
	Convection	_	Convection and radiation
C.	Conduction		Radiation
2. The energy	transfer from fire to ma	n's hand	by
a.	Convection	b.	Convection and radiation
C.	Conduction	d.	Radiation
3. The energy	transfer from electric h	eater to u	s by
	Convection		Convection and radiation
c.	Conduction		Radiation
		_	olding it by
a.	Convection	b.	Convection and radiation
c.	Conduction	d.	Radiation
5. The energy	transfer from through b	oiling wa	ter by
	Convection		radiation and conduction
c.	Conduction	d.	Radiation
6. The energy	transfer from stove to tl	ne metal i	not hy
	Convection	_	Convection and radiation
	Conduction		Radiation
	eats up its density		
_	decrease		stay still
C.	increase	d.	decrease then increase
8. When air co	ools down its density		
	decrease	b.	stay still
c.	increase		decrease then increase



#### **Q2: Complete the following:**

<b>1.</b> The heat energy is a form of energy which is transferred from object
temperature to object with temperature
<b>2.</b> The heat energy transfer stops when the temperature of the 2 objects become
<b>3.</b> The is the way in which the heat energy does not need any
medium to transfer
<b>4.</b> The is a way in which the heat energy needs any medium to
transfer
<b>5.</b> The heat transfers by Through liquids and gases.
<b>6.</b> The condition which state the direction of the heat energy from or to the object
when it is connected to another object is known as
7. The temperature is direct proportional to
<b>8.</b> Gases controls the heat transfer by two ways they are
and
<b>9.</b> The solar energy is stored in the plants in the form of
by the photosynthesis sis process.
<b>10.</b> The solar energy is the reason for movement.
<b>11.</b> In the fuel, the energy is stored as a chemical energy
12. We can useenergy t desalinate the sea water
13. The solar cell converts energy to energy
<b>14.</b> The solar stove converts energy to
energy



live reason for each of the following:
The air conditioner is always at the upper part of the room.
Making cooking pans of copper or aluminum.
The electric heater is always at the bottom of the room.
The heat transfers to the outer space by radiation not by convection.
Heat energy produced from the solar energy is preferable to the heat produced from burning fuel.
Sun is the cleanest source of energy.
vhat happens if?
The air conditioner is at the lower part of the room.
The air heats up.



## Unit Three

## Adaptation and Diversity





#### Lesson one:

## Diversity and classification

#### **Taxonomy**

A science that searches similarities and differences among living organisms.

■ It places the similar ones in the same group and call it **Species**. (**Give reason**) to make them easy for studying.

#### **Species**

A group of living organism similar in **shape** and **way of feeding** and can **reproduce**.

❖ The individuals of the same species can give birth of new fertile individuals to reproduce and keeping the existence of species.







#### **Example: Cat species**

- ➤ A group of different **cats** but similar in shape, way of feeding and can reproduce among each other
- Mating (marriage) can occur between the different groups of the same species but they produce a sterile female (cannot reproduce)
  - The donkey and zebra produces a sterile female called " Zonkey "
  - The donkey and horse produce a sterile female called "mule"



#### **Diversity in living Organisms:**

#### 1. Diversity of animals


The way of feeding.	Herbivorous, plant eater  Carnivorous, meat eater	Horse Tiger
The Size	Big animals Small animals	Elephant Rat
The environment	Water Land	Shark Horse

#### 2. Diversity in plants

Size of tree	Huge trees Short weeds	Palm flowers
The Size of leaves	Small sized leaves	Strawberry
The Size of leaves	Large sized leaves	Banana

#### 3. Diversity in Microorganisms

- Organisms cannot be seen naked eye, **and** unicellular organisms (one cell)
- They live in (air water soil) and differ in shape and their way of movement





#### Classification of the living organisms.

#### 1. Classification of plants.

Plants are classified according to (External shape - Way of reproduction).

#### Classification according to External Shape.

a) Some plants not have roots, stems and leaves

Wheat,

b) Some plants have roots, stems and leaves

Brown Algae, Red Algae

#### Classification according to The Way of Reproduction.

a) Plants reproduce by spores

Ferns, small terrestrial plants.

Adiantum

b) Plants reproduce by seeds.

Gymnosperm ( cone )

Pine

Angiosperm (Fruit Envelope)

**Mono-cotyledon** 

Wheat Di-cotyledon

Bean



Bean



Wheat









Pine



Brown Algae



#### 2. Classification of animals.

#### Classification of animals according to the nature of body support

- a) Soft body
- Jelly fish
- Earth worm

#### b) Supported body

**External Support** 

- Snails
- Roach

#### **Internal Support**

#### **All vertebrates**

- Mammals: Dog

- **Birds**: Hawk

- Reptiles: lizard



Jelly fish



Earth worm



Snail







Hawk



Lizard





#### Classification of arthropods according to the number of legs.

- Arthropods

They are invertebrate characterized by jointed legs.

#### They are classified into







#### Classification of mammals according to the number and the kind of teeth.

They are classified into

- a) Edentates.- Toothless -
- Jelly fish
- Earth worm

b) Having teeth.	Front outward teeth	- Hedgehog
	Sharp Canines	- Tiger
	Sharp incisors	Rodents
		1 pair in upper jaw - Squirrel
		Lagomorphs
		<b>2 pairs in upper jaw</b> - Rabbit







Sloth Armadillo Hedgehog







Tiger Squirrel Rabbit



#### **Lesson Review**

#### Q1: Complete the following:

- **1.** The basic unit of classification of the living organisms is the ------
- 2. The science that classify the organisms into similar groups is ------
- **3.** Plants may carry large-sized leaves such as ----- and some has small sized leaves such as -----
- **4.** When you examine a pond water drop by a microscope some micro-organisms can be seen such as ------, ------
- **5.** Plants may reproduce by spores such as ------ and other plants reproduce by seeds such as ------
- **6.** Arthropods are classified according to the number of legs into -----,
- **7.** The cockroach belongs to the ----- whereas the scorpion belongs to -----
- 8. Toothless mammals such as ----- and ----- and -----
- **9.** Armadillo is one of the ----- mammals and hedgehog belongs to ----- mammals
- **10.** The number of the jerboa's upper jaw incisors is ----- and their number in the rabbit's upper jaw is -----

#### Q2: Cross out the odd word in each of the groups below:

- 1. Locust Mosquito Spider Cockroach Flies
- 2. Lion Tiger Dog Wolf Armadillo
- 3. Beans Pea Corn Pine Wheat
- 4. Octopus Desert snail Frog Fresh water mussels Tilapia



#### **Q3: Choose the correct answer:**

1. The scorpic	on belongs to		
_	Arachnids	b.	Edentates
C.	Myripods	d.	Insects
2. Plants that i	reproduce by spores such as		
	Pine		Beans
	Adiantum		Wheat
<b>?</b> The animal	s which don't have a body suppo	rt c	uch 2s
	Earth worm		Shark
C.	Jelly fish	a.	a and c
<b>4.</b> The number	r of pairs in scorpion legs is		
a.			10
C.	3	d.	4
	,		
	an		
	Bird		Animal
C.	Insect	d.	Arachnid
_	s have no roots, stem as		
	Algae		Rice
C.	Flowers	d.	Bean
7. The plants r	reproduce by seeds called		
	Flowering plants		
	Ferns		Algae
<b>8.</b> Some living	organisms are microscopic as		
a.	Dust	b.	Grass
c.	Ant	d.	Paramecium



#### Lesson Two:

## **Adaptation and Diversity**

The change and diversity in the environments where the living organisms live was the reason leads to the diversity in the living organisms to cope with the environmental changes such as

- 1. Climate
- **2.** Food
- **3.** Availability of the water

#### **Adaptation**

A change in behavior, body structure or function to fit the environmental changes.

#### **Science Activity**

#### Observe and answer the questions?











	Camel	Hawk	Whale	Bat	Heron
Which one can walk on sand					
Which one can hunt preys					
Which one can swim and dive					
Which one can fly in dark					
Which one can pick up worms					

#### **Reasons for Adaptation:**

- 1) To get food
- **2)** To escape from enemies.
- 3) Way of motion



#### **Types of Adaptation**

**Structural Adaptation** 

**Functional Adaptation** 

**Behavioral Adaptation** 

#### 1) Structural Adaptation. (Anatomical)

- It is an adaptation in the structure of a body organ.

# Camel's Pads - A thick flat . (Give Reason) - Enable camels to move on hot sand. - Strong solid.` (Give Reason) - Enable horses to move solid rocky soil.

#### 2) Functional Adaptation.

- It is an adaptation of some organs and tissues to do a specific function.
- Example,
  - a) Secreting poison in snakes.
  - b) Secreting sweat in humans on hot days.

#### 3) Behavioral Adaptation.

- It is an adaptation in the life activity of some animals.
- Example,
  - a) Activity of birds during daytime.
  - b) Activity of bats at night.
  - c) Migration of some birds a certain of the year.



#### **Adaptation and Motion Diversity in Mammals:**

	Animal	Modification	Reason
Whale	78	- The fore limbs are paddles.	- Swimming
Bat		- The fore limbs are wings.	- Flying.
Horses		- The 4 limbs with hooves.	- Run on rocks.
Monkeys		- The fore limbs are long.	- Climb trees.

#### **Adaptation and Nature of Food:**

Birds	Modification in beaks and legs.
1. Predators Vultures	<b>Beaks</b> : Sharp strong crooked to tear preys. <b>Leg</b> : Sharp claws front and back catch preys
2. Insectivores Hoopoe	Beaks : long and thin to pick worms  Legs: long, thin and e to walk in water.
3. Water animals  Duck	Beaks: wide and hollow to filter food.  Legs: palm legs to swim.



#### **Adaptation in Insect Eating Plants (Insectivorous):**


- These plants get carbohydrates from photosynthesis.
- They get proteins by catching insects and digesting them.

#### - Modification.

Leaves of plants can capture and digest insects then absorb the nitrogen.

#### - Examples.





**Drosera** 

sticks and rolls the insect then digests it.





Dieonea

sticks and catches the insect then digests it.



#### **Lesson Review**

Q1: Complete the following:	
1. Camel's pad is a kind of	adaptation
<b>a.</b> Functional	<b>b.</b> No
<b>c.</b> Behavioral	<b>d.</b> Structural
2. Hunting at night of a bat is a kind of	adaptation
<b>a.</b> Functional	<b>b.</b> No
<b>c.</b> Behavioral	<b>d.</b> Structural
3. Poison of a snake is a kind of	adaptation
a. Functional	<b>b.</b> No
<b>c.</b> Behavioral	<b>d.</b> Structural
4. The birds that have crooked beaks are	
<b>a.</b> Predator birds	<b>b.</b> Domestic birds
<b>c.</b> Water birds	<b>d.</b> Insectivores birds
5. Dieonea is a kind of	
<b>a.</b> Predator birds	<b>b.</b> Domestic plant
c. Water plants	<b>d.</b> Insectivores plants
6. The duck has	
a. Palm leg	<b>b.</b> Small leg with claws
c. Thin leg	<b>d.</b> Long leg
7. The has long arms to	o climb the tree
<b>a.</b> Monkey	<b>b.</b> Dolphin
<b>c.</b> Octopus	<b>d.</b> Tiger
8. Hoopoe is a kind of	
<b>a.</b> Predator birds	<b>b.</b> Domestic birds
<b>c.</b> Water birds	<b>d.</b> Insectivores birds



#### Q1: Complete the following:

1.	Insectivorous plants such as
2.	Hawks have beaks to tear the prey, whereas ducks have
	beaks to filter food from water.
3.	Horse's limbs end in to run over rocky soil whereas
	camel's limbs end in to walk on hot sand.
4.	The poisons gland in the snake is a kind of adaptation
5.	The duck and goose have and beak to filter
	the food from the water
6.	The whale front limbs are modified into to swim,
	whereas they modified in the bat intoto fly
7.	The hereon and hoopoe have beaks to pick the worms
8.	Insectivores plants get their protein from
Q3: C	Give the reason:
1.	Hereon and hoopoe have long thin beaks and long legs.
2	Como planta hunt ingosta
۷.	Some plants hunt insects.
3.	Hawks have sharp claws and strong claws.
4.	Camel has a flat thick pad.



#### Lesson Three:

### Adaptation & life continuity

- Some animals could not adapt with the change in the surrounding environment, so as **Dinosaurs**, **Mammoth**.
- Other animals had adapted to the changes so they continued life.



Mammoth

#### **Examples of Adaptation in Living Organisms.**

#### 1. Hibernation

**In winter,** some animals stop their feeding and bury themselves in mud to overcome the cold.



Frog



#### 2. Aestivation

**In summer,** some animals avoid shortage of water by hiding away from the sun in tunnels.



**Jerboa** 



**Desert Snail** 



#### 3. Birds Migration

**In winter,** some birds leave cold places to warm places where they could reproduce. They return to their normal life in the spring.



#### 4. Hiding

**Camouflage:** the ability of some animals to hide from their enemies.



<u>Stick Insect</u> Looks like the plant branches.



<u>Leaf Insect</u> Looks like the plant leaves.



<u>Chameleon</u>

Take the color of the place to escape from enemy.

#### 5. Water plants

	Elodea (Submerged water plant)				
Roots	Weak because the plant does not need to fix itself or absorb water.				
Stem	<ul><li>Elastic to avoid breaking by water currents,</li><li>Contains air for respiration and help in floating.</li></ul>				
Leaves	Small and ribbon like to make them stronger.				



#### 6. Desert Plants.

Plants like **Cactus – Opuntia – Calamagrostis** grow in desert.

Calamagrostis				
Roots	Extend <b>Vertically</b> down the soil to reach underground water.			
Stem	Flexible to avoid cutting in strong wind			
Leaves	Small and spiraled with little stomata to decrease water loss.			

Opuntia				
Roots	Extend <b>Horizontally</b> around the soil to absorb rain and dew			
Stem	Contain chloroplasts for Photosynthesis			
Leaves	Covered with wax and reduced into spines to decrease water loss.			

	Cactus	
Roots	Fine roots and close to the soil surface	
Stem	Short to avoid strong wind	
Leaves	Juicy leaves with water content and covered with wax to decrease water loss	



#### **The Camel**

• The camel called The Desert Ship. (Give Reason)

Bec. It can survive for many days without water and food

Eye lashes.	- Long eyelashes to avoid sand storms.	
Nostrils	- Opening and close to avoid sand storms.	
Ears.	- Small ears, covered by hair to avoid sand.	
Upper lip.	<ul><li>Forked and the teeth</li><li>Strong enamel teeth to eat spiny plants.</li></ul>	1
Body fur.	<ul><li>Dense back to protect from cold</li><li>Less dense at legs to protect from hot</li></ul>	
Legs.	<ul><li>Thick skinned to protect it hot</li><li>Flat pad to avoid sinking in smooth sand.</li></ul>	
Blood.	<ul> <li>Blood temperature is changes</li> <li>from 34°C in the morning</li> <li>to 41°C during daylight</li> </ul>	
Sweat glands.	- They do not start sweating unless the blood temperature reaches <b>40°C</b> .	
Storing Fats.	- Camel's hump store fats to still alive for 3 months without food.	
Water.	<ul> <li>Camel drinks about 100 liters of water in 10 minutes</li> <li>This can keep it for one week without water</li> </ul>	



#### **Lesson Review**

Q1: Choose the correct answer:	
1. There are air chambers in the leaves o	f plant.
a. Opuntia	<b>b.</b> Calamagrostis
c. Cactus	<b>d.</b> Elodea
2. Leaves reduced into spines in	plant.
a. Opuntia	b. Calamagrostis
c. Cactus	<b>d.</b> Elodea
3. Water is stored in the leaves of	plant.
a. Wheat	b. Calamagrostis
c. Cactus	<b>d.</b> Elodea
4. The examples of living organisms that	undergoes hibernation is the
<ul><li>a. Desert snail</li></ul>	c. Frog
<b>b</b> . Jerboa	<b>d.</b> All the above
Q2: Give an example showing each of	the following:
1. Camouflage in insects	
2. Hibernation in amphibians	
3. Aestivation in rodents	
4. A totally submerged aquatic plan	nt
5. A desert plant that its root are in	ito juicy roots



Q3: What happens in each of the following?		
1.	Ending of camel's legs with a pad	
2.	Rising of camel's body temperature to 40°C.	
3.	Absence of air chambers from elodea stem.	
	reasons for each of the following:  Some animals undergo hibernation	
	Some species of birds migrate from their original habitats in Winter	
3.	The presence of air chambers in elodea's stem	
4.	Camel has fur on the back.	